


Q1 How do you feel about the proposed topics for the Good Neighbor Agreement?

Answered: 27 Skipped: 1



ANSWER CHOICES	RESPONSES	
These topics reflect my interests and concerns	22.22%	6
I'd like to see something changed or added (please explain)	77.78%	21
TOTAL		27


#	I'D LIKE TO SEE SOMETHING CHANGED OR ADDED (PLEASE EXPLAIN)	DATE
1	Environmental impacts. Also, the use of our property for construction of pipelines etc.	5/8/2021 8:34 AM
2	Impact on surrounding properties	5/8/2021 8:31 AM
3	NO, we don't want this	5/7/2021 5:53 PM
4	NO, we don't want this	5/7/2021 5:53 PM
5	Do not want this project!	5/7/2021 3:25 PM
6	Don't want	5/7/2021 8:50 AM
7	Be a good neighbor and go somewhere else.	5/7/2021 1:57 AM
8	The facility needs to be cancelled.	5/6/2021 7:58 PM
9	Fixing and maintaining roads.	5/6/2021 12:11 PM
10	Good neighbor means no noise at night, no impact to traffic, Portland Water responsible for all road repairs due to heavy truck traffic. Portland Water to be financially responsible for causing a neighbor's well to go dry. Plant to watch their light pollution at night.	5/6/2021 11:57 AM
11	We do not want this in our area!!!	5/6/2021 9:00 AM
12	No. We don't want the water filtration site here.	5/6/2021 7:12 AM
13	NO i do not want filtration facility	5/6/2021 7:03 AM
14	Traffic	5/3/2021 9:08 PM

Bull Run Filtration Site Advisory Group: Draft Agreement Language Community Feedback - Part 2

15	Surrounding property value decreased	5/3/2021 5:43 AM
16	Minimizing impact to those whose land contains the easements.	5/1/2021 12:25 PM
17	I notice beaver creek is drying up your drilling might be the problem.	4/30/2021 8:37 PM
18	This Project does not belong at this location.	4/30/2021 6:50 PM
19	This doesn't address traffic, road distruction or noise pollution.	4/29/2021 2:48 PM
20	It may be covered later, but please add 'pipeline construction' to the list.	4/11/2021 10:36 AM
21	Environmental Impacts, Ecological Impacts, Erosion Control, Long range impact of traffic after facility is running, future participation of community, Security and Safety after acceptance of facility (consider terrorism)	3/19/2021 9:16 PM

Q2 How do you feel about the draft construction safety language?

Answered: 22 Skipped: 6



ANSWER CHOICES	RESPONSES	
This reflects my interests and concerns	31.82%	7
I'd like to see something changed or added (please explain)	68.18%	15
TOTAL		22


#	I'D LIKE TO SEE SOMETHING CHANGED OR ADDED (PLEASE EXPLAIN)	DATE
1	The effects on our property along the pipeline routes. If you will be using and digging on our land.	5/8/2021 8:36 AM
2	No	5/7/2021 5:54 PM
3	Do not want this project!	5/7/2021 3:26 PM
4	No in Sandy	5/7/2021 1:57 AM
5	This facility is a joke!	5/6/2021 7:58 PM
6	Need to define hours for construction noise. PDX can't work around the clock so neighbors and their children can get some sleep	5/6/2021 11:59 AM
7	Do not build out in our area and interrupt farm land and people's lives stay in the city	5/6/2021 9:00 AM
8	No. We don't want the water filtration site here.	5/6/2021 7:12 AM
9	NO i do not want filtration facility	5/6/2021 7:03 AM
10	Truck traffic on a road with no sidewalk or signs or painted lines	5/3/2021 5:44 AM
11	Respect the wishes of landowners where the easements pass through their land to place pipelines and access roads in the most unobtrusive and least impactful locationssible.	5/1/2021 12:27 PM
12	you need to stop and fix the proplem.	4/30/2021 8:39 PM
13	This Cottrell, Lusted Hill and Pleasant Home area is quiet, and safe. There is wildlife, wetlands, head waters, and tributaries to the Sandy River. The Project is not safe for this Area and Community.	4/30/2021 6:59 PM

Bull Run Filtration Site Advisory Group: Draft Agreement Language Community Feedback - Part 2

14	"Making every effort" in the third bullet is not good enough. People have a right to access their homes, and emergency vehicles must be able to access the area when needed. It could be life or death.	4/11/2021 10:36 AM
15	Provide notices of upcoming impacts or detours at least 7 days before construction is expected; coordinate work to accommodate any reasonable special needs of the businesses and residents; provide a temporary pedestrian accessible route plan for safety and accessibility; keep the surfaces of all roadways, sidewalks and other pathways used by the public free of dirt, mud, cold plane grindings, and other matters that the Contractor may place upon the road	3/19/2021 9:28 PM

Q3 How do you feel about the draft operational safety language?

Answered: 19 Skipped: 9




ANSWER CHOICES	RESPONSES	
This reflects my interests and concerns	42.11%	8
I'd like to see something changed or added (please explain)	57.89%	11
TOTAL		19

#	I'D LIKE TO SEE SOMETHING CHANGED OR ADDED (PLEASE EXPLAIN)	DATE
1	Being transparent about this isn't the only option to treat cryptosporidium	5/8/2021 8:37 AM
2	Sandy doesn't need this	5/7/2021 1:57 AM
3	This site is not a good fit.	5/6/2021 7:58 PM
4	Pretty vague	5/6/2021 12:00 PM
5	DO NOT BUILD HERE	5/6/2021 9:01 AM
6	No. We don't want the water filtration site here.	5/6/2021 7:12 AM
7	NO i do not want filtration facility	5/6/2021 7:04 AM
8	Do you want a chemical plant next door to your house?	5/3/2021 5:46 AM
9	Once again this is not safe for the Area. Chemicals and traffic in a Rural Reserve is a oxymoron.	4/30/2021 7:01 PM
10	"Implementing safety protocols" for the chemicals seems like a minimal standard. Implementing the highest level of safety protocols would be closer to acceptable. Also to be considered is wildlife safety; for instance, will there be extensive use of glass in the facility? Will birds be flying into the windows and getting killed? What safeguards will be in place for them?	4/11/2021 10:39 AM
11	Create a safety and health management system that includes a safety committee, perhaps community members can participate.	3/19/2021 9:40 PM

Q4 How do you feel about the draft communications language?

Answered: 19 Skipped: 9




ANSWER CHOICES	RESPONSES
This reflects my interests and concerns	42.11% 8
I'd like to see something changed or added (please explain)	57.89% 11
TOTAL	19

#	I'D LIKE TO SEE SOMETHING CHANGED OR ADDED (PLEASE EXPLAIN)	DATE
1	Being transparent with communication. It feels like propganda	5/8/2021 8:38 AM
2	Leave	5/7/2021 1:58 AM
3	The rate payers do not support this monolith.	5/6/2021 7:58 PM
4	Not everyone uses email or even a computer. Monthly updates should go out to the public via USPS and in local newspapers	5/6/2021 12:02 PM
5	We don't want this site built here.	5/6/2021 9:01 AM
6	No. We don't want the water filtration site here.	5/6/2021 7:12 AM
7	NO i do not want filtration facility	5/6/2021 7:04 AM
8	Lack of communication this far	5/3/2021 5:46 AM
9	These Site Advisory's zoom meetings need to held in person.	4/30/2021 7:03 PM
10	Add a procedure for conflict resolution, whether it is a arbitrator or other neutral party. As it is stated right now, the only recourse people have is to go to court and sue, costly for both sides.	4/11/2021 10:44 AM
11	Provide a complaint online form, track the items, document the efforts in responding to the complaint and follow-up. Discuss the complaint at the next meeting and how it was addressed; post online a clear set of ground rules that define the required behaviors of the team (the City and Community)	3/19/2021 9:47 PM

Q5 How do you feel about the draft facility architectural design language?

Answered: 18 Skipped: 10




ANSWER CHOICES	RESPONSES
This reflects my interests and concerns	44.44% 8
I'd like to see something changed or added (please explain)	55.56% 10
TOTAL	18

#	I'D LIKE TO SEE SOMETHING CHANGED OR ADDED (PLEASE EXPLAIN)	DATE
1	Reimbursement of negative effects on surrounding homes property values	5/8/2021 8:39 AM
2	This is ridiculous	5/6/2021 7:59 PM
3	DO NOT BUILD	5/6/2021 9:01 AM
4	No. We don't want the water filtration site here.	5/6/2021 7:12 AM
5	NO i do not want filtration facility	5/6/2021 7:04 AM
6	What about lighting concerns and also low grade humming noises	5/3/2021 9:12 PM
7	Destroying current in use farmland	5/3/2021 5:47 AM
8	Does not be long in this Area	4/30/2021 7:04 PM
9	As far as the tower location is concerned, how far east are you anticipating placement? Otherwise, this reflects our interests.	3/21/2021 12:10 PM
10	Build a regional stormwater facility (talk to City of Gresham since they have done this) that captures the flows from various sites to limit impacts to properties at lower grounds. The stormwater facility can look like a wetland adding beauty to the agrarian landscape.	3/19/2021 9:55 PM

Q6 How do you feel about the draft lighting design language?

Answered: 17 Skipped: 11




ANSWER CHOICES	RESPONSES
This reflects my interests and concerns	47.06% 8
I'd like to see something changed or added (please explain)	52.94% 9
TOTAL	17

#	I'D LIKE TO SEE SOMETHING CHANGED OR ADDED (PLEASE EXPLAIN)	DATE
1	We will fight this at every opportunity.	5/6/2021 7:59 PM
2	Amount of light allowed needs to be define. We don't want a beacon in the dark	5/6/2021 12:04 PM
3	No light, no interruptions to our farmers and country folk, DO NOT BUILD	5/6/2021 9:02 AM
4	No. We don't want the water filtration site here.	5/6/2021 7:13 AM
5	NO i do not want filtration facility	5/6/2021 7:04 AM
6	Using Multnomah County standards for the lighting as a guide or bad idea because of where you're building and the neighborhood that you're in any lights that are used at night need to be so that they can't be seen from the neighbors	5/3/2021 9:14 PM
7	No real plan on what lighting will even look like.	5/3/2021 5:50 AM
8	Does not belong in this Area. It will disrupt the Area,	4/30/2021 7:04 PM
9	Make the lighting design Dark Sky compliant to reduce the amount of light pollution.	3/19/2021 10:01 PM

Q7 How do you feel about the draft facility sound design language?

Answered: 18 Skipped: 10




ANSWER CHOICES	RESPONSES
This reflects my interests and concerns	44.44% 8
I'd like to see something changed or added (please explain)	55.56% 10
TOTAL	18

#	I'D LIKE TO SEE SOMETHING CHANGED OR ADDED (PLEASE EXPLAIN)	DATE
1	We do not support this facility	5/6/2021 7:59 PM
2	50 decibals is still very loud. We don't want this built!!	5/6/2021 9:02 AM
3	No. We don't want the water filtration site here.	5/6/2021 7:13 AM
4	NO i do not want filtration facility	5/6/2021 7:04 AM
5	You seriously have no idea how the noise is going to impact this area out here. At night sound travels. During the day conversations you would never hear at night you can hear sound travels	5/3/2021 9:15 PM
6	Too noisy the live beside.	5/3/2021 5:52 AM
7	The sound will travel. Does not belong in this Area.	4/30/2021 7:05 PM
8	Add: Require delivery vehicles to employ EV technology to reduce noise impact during operation of the facility. Probably not practicle during construction. :)	4/11/2021 10:55 AM
9	What will be running at night to create 50 decibels?	3/21/2021 12:13 PM
10	Reduce transmission of indoor noise to the outdoors by using noise reduction rated acoustic louvers and duct silencers; seal doors, windows and wall panels; interior surface of enclosure should be covered with sound absorptive material; all ventilation openings to have acoustic attenuators	3/19/2021 10:25 PM

Q8 How do you feel about the draft site landscape design language?

Answered: 18 Skipped: 10




ANSWER CHOICES	RESPONSES	
This reflects my interests and concerns	55.56%	10
I'd like to see something changed or added (please explain)	44.44%	8
TOTAL		18

#	I'D LIKE TO SEE SOMETHING CHANGED OR ADDED (PLEASE EXPLAIN)	DATE
1	This is a terrible plan.	5/6/2021 7:59 PM
2	I don't care how many native plants you use - we don't want this filtration site in our neighborhood	5/6/2021 9:03 AM
3	No. We don't want the water filtration site here.	5/6/2021 7:13 AM
4	NO i do not want filtration facility	5/6/2021 7:04 AM
5	Local wildlife will be effected	5/3/2021 5:53 AM
6	Not possible, it is a Agricultural field. It needs to stay Agriculture.	4/30/2021 7:07 PM
7	Add external elements that reflect native and local art and artists.	4/11/2021 10:59 AM
8	Use native plants appropriate for each location; provide subcontracting opportunities for local plant growers or minority businesses to engage in the site landscape	3/19/2021 10:30 PM

Q9 How do you feel about the draft site stormwater management language?

Answered: 19 Skipped: 9



ANSWER CHOICES	RESPONSES	
This reflects my interests and concerns	57.89%	11
I'd like to see something changed or added (please explain)	42.11%	8
TOTAL		19

#	I'D LIKE TO SEE SOMETHING CHANGED OR ADDED (PLEASE EXPLAIN)	DATE
1	This area is at risk with this facility here.	5/6/2021 8:00 PM
2	DO NOT BUILD HERE	5/6/2021 9:03 AM
3	No. We don't want the water filtration site here.	5/6/2021 7:14 AM
4	NO i do not want filtration facility	5/6/2021 7:04 AM
5	Chemical run off to surrounding neighbors and agriculture	5/3/2021 5:54 AM
6	It is a field. City of Portland is going to cause more harm to the area with this plant in this location.	4/30/2021 7:09 PM
7	Bare ground encourages muddy runoff into local streams. Add language that requires any leesee of vacant land to maintain cover crops year round to minimize dirty runoff.	4/11/2021 11:09 AM
8	The stormwater management strategies need to account for the construction of the facility since it will impact how water flows (water takes the path of least resistance and follows pipe installation); building a regional stormwater facility may be more efficient than building various small stormwater facilities or basins. Consult City of Gresham and City of Sandy on stormwater code, best practices and management.	3/19/2021 10:38 PM

Q10 Do you have additional general comments or suggestions for the draft Good Neighbor Agreement?

Answered: 10 Skipped: 18

#	RESPONSES	DATE
1	You are wasting your time.	5/6/2021 8:01 PM
2	The site in Boring is not a good place for this. Too many small roads, they are hot holed and never maintained. People don't want this around there properties.	5/6/2021 12:18 PM
3	We don't want the water filtration site here.	5/6/2021 7:15 AM
4	NO i do not want filtration facility	5/6/2021 7:05 AM
5	The plan is a disaster, the cost is too high, it is goi g to ruin surrounding home and land values, the roads will be destroyed with truck traffic, do you want a chemical plant next door to your house?	5/3/2021 6:01 AM
6	stop what you are doing	4/30/2021 8:41 PM
7	Site Advisory needs to be held at a Public Setting	4/30/2021 7:13 PM
8	Preplan for future issues with neighbors. What language can be in place that can help resolve those issues?	4/11/2021 11:13 AM
9	Questions concerning northeastern placement of tower and source of night-time decibel levels.	3/21/2021 12:16 PM
10	Identify pre-existing conditions, add a section for accountability (how do we know the community is satisfied or not satisfied)	3/19/2021 10:48 PM


Q11 Do you have additional questions, concerns, or ideas that you'd like to share?

Answered: 8 Skipped: 20

#	RESPONSES	DATE
1	This is a massive mistake.	5/6/2021 8:01 PM
2	We don't want this here. F*** off.	5/6/2021 9:03 AM
3	We don't want the water filtration site here.	5/6/2021 7:15 AM
4	NO i do not want filtration facility , you will destroy this area	5/6/2021 7:05 AM
5	Cost, location, destroying current farm land, chemical spill, and a few 100 other reasons for Why PWB should not build this plant.	5/3/2021 6:01 AM
6	This Project should be done in the Bull Run Water Shed!	4/30/2021 7:13 PM
7	PWB needs to commit in writing to restore easement land to as good as or better condition once construction is complete. We, the owners, have to live with the land once PWB is done with it. It would help to have such language in place for all to see.	4/11/2021 11:13 AM
8	Know that the agreement is an approach to problem-solving and that is not a binding legal document. How can we move forward trusting that the City will do the right thing? Perhaps to a Charter between the Community and the City.	3/19/2021 10:48 PM

Q13 Do you live within 5 miles of the filtration facility planned near SE Carpenter Lane and SE Dodge Park Boulevard?

Answered: 16 Skipped: 12



ANSWER CHOICES	RESPONSES	
Yes	81.25%	13
No	18.75%	3
TOTAL		16